



CSP-S2560H4L Solar Surveillance Trailer



Project Series




Email: sales@canadasecurity.com
Website: canadasecurity.com

US : +1 301 900 1000
CA : +1 289 800 9000



SPECIFICATIONS

Solar	
Solar Panel	1*450W Bifacial
Panel Adjustment	90°tiltable, 180°rotatable
MPPT Controller	20A-E
Battery	
Battery Type	LFP
Battery Capacity	2560Wh
AC Charger	NO
CCTV	
Available Voltage	24V/48V
Estimated Charging Time	4.8 hours
Running Time	72 hours on 28W
8-Port POE	NO
Optional Accessories	POE, 4G Router,NVR, Cameras
Structure	
Mast & Height	3.5M, Hot-Dip Galvanized
Mast Lifting	Manual Winch
Base	Hollow, Metal, Hot-Dip Galvanized
Lifting Ring	4 x
Forklift Holes	2 x
General	
Extended Dimensions	1134*1100*5221.5mm
Retracted Dimensions	1134*1100*3157.5mm
Weight	360KG
QTY in 20' / 40' Container	12 units/28 units



*Cameras are optional



Email: sales@canadasecurity.com
Website: canadasecurity.com

US : +1 301 900 1000
CA : +1 289 800 9000